

**mongoose®**



**2011 3MX PRODUCT CATALOG**

Mongoose BMX bikes are designed to withstand everything that goes through your head. Whether that's streets, skate parks or trails, these bikes are built so that you can keep pushing your limits to the max. Make your choice, there are models for each and every rider depending on your level, discipline and budget. So now it's time to go out and ride the streets until you find the ultimate spot...



## SUMMARY

P4 . 3MX DIRT / STREET

P 12 . 3MX FREESTYLE

P 16 . 3MX JUVENILE

## LEXICON

**Hi-ten:** High-strength steel, great for its low cost of production and it's cheaper than Cr-mo.

**Cr-mo:** Steel chrome-molybdenum (4130), it's an alloy allowing parts to be stronger and lighter, generally use for medium and premium parts.

**Top tube:** It's the top of the bike. It's measured from the middle of the seat tube all the way along to the middle of the head tube.

**Chain stay:** These are the rear end of the frame. They are measured from the middle of the bottom bracket to the middle of the drop out.



# BMX DIRT / STREET

Dirt and Street are demanding practices

Both segments require a foolproof material that allows you to fully exploit your limits you in every possible way.

Mongoose bicycles focus on the customer, creating great performance products with and amazing prices!

## LEGION

**FRAME** : Fully updated design, Seamless Cr-mo, 20.75TT  
**FORK** : Tapered full Cr-mo  
**CRANK** : 3 pieces tubular Cr-mo crank, 25T alloy CNC chainring  
**WHEELS** : Alienation Black sheep 32/36H rims, Odyssey Aitken tires



## CHAMBER

**FRAME** : Full Cr-mo, 21TT  
**FORK** : Cr-mo legs and steerer  
**CRANK** : 3 pieces tubular Cr-mo crank, 25T alloy chainring  
**WHEELS** : Goliath double wall 36H rims, Odyssey Dirt path and path tires



## THRIVE

**FRAME** : Cr-mo front triangle, 20.8TT  
**FORK** : Cr-mo steerer  
**CRANK** : 3 pieces tubular Cr-mo crank, 25T alloy chainring  
**WHEELS** : Goliath double wall 36H rims, Alienation Differential tires



## CULTURE

**FRAME** : Cr-mo front triangle, 20.6TT

**FORK** : Cr-mo steerer

**CRANK** : 3 pieces tubular Cr-mo crank, 25T steel chainring

**WHEELS** : Alloy 36H front/48H rear rims, 2.25 Kenda tires



## PROGRAM

**FRAME** : Cr-mo front triangle, 20.6TT

**FORK** : Cr-mo steerer

**CRANK** : 3 pieces tubular Cr-mo crank, 25T steel chainring

**WHEELS** : Alloy 36H front/48H rear rims, 2.25 Kenda tires



## PROGRAM '18"

**FRAME** : Full Hi-ten steel, 17TT  
**FORK** : Full Hi-ten steel  
**CRANK** : 3 pieces tubular Cr-mo crank, 33T steel chainring  
**WHEELS** : Alloy 36H front & rear rims, 2.25 Kenda tires



## PROGRAM '16"

**FRAME** : Full Hi-ten steel, 16.5TT  
**FORK** : Full Hi-ten steel  
**CRANK** : 3 pieces tubular Cr-mo crank, 36T steel chainring  
**WHEELS** : Alloy 36H front & rear rims, 2.25 Kenda tires



## LOGO

**FRAME** : Full Hi-ten steel, 20.25TT  
**FORK** : Full Hi-ten steel  
**CRANK** : Forged Cr-mo one-piece crank, 33T steel chainring  
**WHEELS** : Alloy 36H front/48H rear rims, 2.125 Innova tires





# BMX FREESTYLE

This category of BMX was designed specifically for Street and Skate park riders.

Without anything to hold you back, only fear is your limit...

Now it's your turn to hit the most difficult tricks!



## DIAGRAM

**FRAME** : Cr-mo front triangle, 20.8TT  
**FORK** : Cr-mo steerer  
**CRANK** : 3 pieces tubular Cr-mo crank, 25T steel chainring  
**WHEELS** : Goliath double wall 36H rims, Alienation Graffiti tires

## CAPTURE

**FRAME** : Full Hi-ten steel, 20.25TT  
**FORK** : Full Hi-ten steel  
**CRANK** : 3 pieces tubular Cr-mo crank, 33T steel chainring  
**WHEELS** : Alloy 36H front/48H rear rims, 2.125 Innova tires



## ARTICLE

**FRAME** : Cr-mo front triangle, 20.6TT  
**FORK** : Cr-mo steerer  
**CRANK** : 3 pieces tubular Cr-mo crank, 25T steel chainring  
**WHEELS** : Alloy 36H front /48H rear rims, 2.125 Innova tires



## SUBJECT

**FRAME** : Full Hi-ten steel, 20.25TT  
**FORK** : Full Hi-ten steel  
**CRANK** : Forged Cr-mo one-piece crank, 33T steel chainring  
**WHEELS** : Alloy 36H front/48H rear rims, 2.0 Innova tires



# BMX JUVENILE

Finally we have adapted our bikes to fit the smaller rider without losing any strength and quality!

These bikes share the same attention to detail as their bigger brothers.

If you want to be like Cam White this BMX and your sweat, blood and tears will get you there!

## MICRON

**FRAME** : Full Hi-ten steel, 18.5TT  
**FORK** : Full Hi-ten steel  
**CRANK** : Cr-mo one-piece crank, 36T steel chainring  
**WHEELS** : Alex Z1000 alloy 36H rims, Mongoose 2.125 Dirt tires



| <b>JUVENILE</b>      | H/T angle | S/T angle | T/T   | RC    | Standover Center BB / Top of T/T | BB height | WB   |      | GEAR SIZE |
|----------------------|-----------|-----------|-------|-------|----------------------------------|-----------|------|------|-----------|
| <b>Micron</b>        | 72        | 71        | 470   | 362   | 165                              | 34        | 888  | mm   | 39/18     |
|                      |           |           | 18,5  | 14,3  | 6,5                              | 1,3       | 35,0 | inch |           |
| <b>FREESTYLE</b>     | H/T angle | S/T angle | T/T   | RC    | Standover Center BB / Top of T/T | BB height | WB   |      | GEAR SIZE |
| <b>Subject</b>       | 74,5      | 71        | 514   | 362   | 240                              | 294       | 930  | mm   | 33/13     |
|                      |           |           | 20,24 | 14,25 | 9,4                              | 11,6      | 36,6 | inch |           |
| <b>Capture</b>       | 74,5      | 71        | 514   | 362   | 240                              | 294       | 930  | mm   | 33/13     |
|                      |           |           | 20,24 | 14,25 | 9,4                              | 11,6      | 36,6 | inch |           |
| <b>Article</b>       | 74,5      | 71        | 522   | 361   | 243                              | 294       | 936  | mm   | 25/9      |
|                      |           |           | 20,6  | 14,21 | 9,6                              | 11,6      | 36,9 | inch |           |
| <b>Diagram</b>       | 74,5      | 71        | 528   | 361   | 243                              | 294       | 944  | mm   | 25/9      |
|                      |           |           | 20,79 | 14,21 | 9,6                              | 11,6      | 37,2 | inch |           |
| <b>DIRT / STREET</b> | H/T angle | S/T angle | T/T   | RC    | Standover Center BB / Top of T/T | BB height | WB   |      | GEAR SIZE |
| <b>Logo</b>          | 74,5      | 71        | 514   | 362   | 240                              | 294       | 930  | mm   | 33/13     |
|                      |           |           | 20,24 | 14,25 | 9,4                              | 11,6      | 36,6 | inch |           |
| <b>Program</b>       | 74,5      | 71        | 514   | 362   | 240                              | 294       | 930  | mm   | 36/13     |
|                      |           |           | 20,24 | 14,25 | 9,4                              | 11,6      | 36,6 | inch |           |
| <b>Program 16</b>    | 73        | 71        | 419   | 331   | 197                              | 290       | 810  | mm   | 30/13     |
|                      |           |           | 16,5  | 13,0  | 7,8                              | 11,4      | 31,9 | inch |           |
| <b>Program 18</b>    | 73        | 69        | 432   | 347   | 210                              | 279       | 830  | mm   | 30/13     |
|                      |           |           | 17,0  | 13,7  | 8,3                              | 11,0      | 32,7 | inch |           |
| <b>Culture</b>       | 74,5      | 71        | 522   | 361   | 243                              | 294       | 936  | mm   | 25/9      |
|                      |           |           | 20,6  | 14,21 | 9,6                              | 11,6      | 36,9 | inch |           |
| <b>Thrive</b>        | 74,5      | 71        | 528   | 361   | 243                              | 294       | 944  | mm   | 25/9      |
|                      |           |           | 20,79 | 14,21 | 9,6                              | 11,6      | 37,2 | inch |           |
| <b>Chamber</b>       | 74,5      | 71        | 534   | 361   | 243                              | 294       | 949  | mm   | 25/9      |
|                      |           |           | 21,0  | 14,21 | 9,6                              | 11,6      | 37,4 | inch |           |
| <b>Legion</b>        | 74,5      | 71        | 527   | 362   | 229                              | 300       | 928  | mm   | 25/9      |
|                      |           |           | 20,75 | 14,25 | 9,0                              | 11,8      | 36,5 | inch |           |

| MODEL                 | 2011 Micron (FW)                      | 2011 Subject                                | 2011 Capture                                  | 2011 Article                                   | 2011 Diagram                                   | 2011 Logo                                   | 2011 Program                                  | 2011 Culture                                   | 2011 Thrive                                    | 2011 Chamber                                      | 2011 Legion   |
|-----------------------|---------------------------------------|---|---|--|--|---|---|--|--|---|---|
| FRAME                 | Full Hi-Ten                           | Full Hi-Ten                                 | Full Hi-Ten                                   | Cromo Front Triangle                           | Cromo Front Triangle                           | Full Hi-Ten                                 | Full Hi-Ten                                   | Cromo Front Triangle                           | Cromo Front Triangle                           | Full Cromo  | Fully updated design 20.75" Seamless Cromo  |
| FORK                  | Full Hi-Ten                           | Full Hi-Ten                                 | Full Hi-Ten                                   | Cromo Steerer                                  | Cromo Steerer                                  | Full Hi-Ten                                 | Full Hi-Ten                                   | Cromo Steerer                                  | Cromo Steerer                                  | Cromo Legs & Steerer                              | Tapered Full Cromo  |
| CRANKSET / CHAINWHEEL | 1pc Hi-Ten 140mm, 36T steel chainring | 1pc Forged Cromo 165mm, 33T steel chainring | 3pc Tubular Cromo, 170mm, 33T steel chainring | 3pc Tubular Cromo, 175mm, 25T steel chainring  | 3pc Tubular Cromo, 175mm, 25T Alloy chainring  | 1pc Forged Cromo 165mm, 33T steel chainring | 3pc Tubular Cromo, 175mm, 33T steel chainring | 3pc Tubular Cromo, 175mm, 25T steel chainring  | 3pc Tubular Cromo, 175mm, 25T Alloy chainring  | 3pc Tubular Cromo, 175mm, 25T Alloy chainring     | 3pc Seamless Cromo 175mm, 25T Alloy CNC chainring   |
| BB                    | Loose Ball                            | Loose Ball                                  | Mid Sealed Bearing 8 spline                   | Mid Sealed Bearing 8 spline                    | Mid Sealed Bearing 8 spline                    | Loose Ball                                  | Mid Sealed Bearing 8 spline                   | Mid Sealed Bearing 8 spline                    | Mid Sealed Bearing 8 spline                    | Mid Sealed Bearing 8 spline                       | Midsized Sealed Premium Bearing 48 spline   |
| PEDALS                | Mongoose Resin platform               | Mongoose Resin                              | Mongoose Nylon Fiber                          | Mongoose Nylon Fiber                           | Weilgo Poly Carbon                             | Mongoose Resin                              | Mongoose Alloy                                | Mongoose Alloy                                 | Weilgo Nylon Fiber                             | Weilgo Nylon Fiber                                | Mongoose Alloy Slim   |
| FREEWHEEL             | 18t freewheel                         | 13t freewheel                               | Odyssey 13t freewheel                         | 9t Cassette, loose ball                        | 1-1/8" Integrated (Campy fit)                  | 13t freewheel                               | Odyssey 13t freewheel                         | 9t Cassette, loose ball                        | 9t Cassette, loose ball                        | 9t Cassette, loose ball                           | 9T Cassette One Piece Driver  |
| CHAIN                 | KMC Z-510                             | KMC Z-510                                   | KMC Z-510                                     | KMC Z-510                                      | KMC Z-510                                      | KMC Z-410                                   | KMC Z-510                                     | KMC Z-510                                      | KMC Z-510                                      | KMC HP1L  | Half Link   |
| RIMS                  | Alex Z1000 Alloy 36H 20 x 1.75        | Alloy 36H front, 48H rear                   | Alloy 36H front, 48H rear                     | Alloy 36H front, 48H rear                      | Goliath double wall 36H                        | Alloy 36H front, 48H rear                   | Alloy 36H front, 48H rear                     | Alloy 36H front, 48H rear                      | Goliath double wall 36H                        | Goliath double wall 36H                           | Alienation Black Sheep 32/36H   |
| TIRES                 | Mongoose 2.125 Dirt                   | Innova (F&R) 2.0                            | Innova (F&R) 2.125                            | Innova (F&R) 2.125                             | Alienation Graffiti F- 2.2" R- 2.0"            | Innova (F&R) 2.125                          | Kenda (F&R) 2.25                              | Kenda (F&R) 2.25                               | Alienation Differential F- 2.2" R- 2.0"        | Odyssey Dirt Path (F) 2.2<br>Odyssey Path (R) 2.1 | Odyssey Auker Knobby (F) 2.125<br>Odyssey Auker (R) 2.1<br>32H AFFIX Tilly, 3/8" Cromo axle<br>Sealed bearing |
| FRONT HUB             | 36H Steel, 3/8" axle                  | 36H Steel, 3/8" axle                        | 36H Steel, 3/8" axle                          | 36H Alloy, 3/8" axle                           | 36H Alloy, 3/8" axle                           | 36H Steel, 3/8" axle                        | 36H Steel, 3/8" axle                          | 36H Alloy, 3/8" axle                           | 36H Alloy, 3/8" axle                           | 36H Alloy, 3/8" Cromo axle                        | Low Flange, 36H 9T Cassette, 14mm Cromo Hollow axle, 4 Sealed bearing   |
| REAR HUB              | 36H Steel, 3/8" axle                  | 48H Steel, 3/8" axle                        | 48H Steel, 14mm axle                          | 48H Alloy, 14mm Cromo axle loose ball cassette | 36H Alloy, 14mm Cromo axle loose ball cassette | 48H Steel, 3/8" axle                        | 48H Steel, 14mm axle                          | 48H Alloy, 14mm Cromo axle loose ball cassette | 36H Alloy, 14mm Cromo axle loose ball cassette | 36H Alloy, 14mm Cromo axle loose ball cassette    | Low Flange, 36H 9T Cassette, 14mm Cromo Hollow axle, 4 Sealed bearing   |
| SPOKES                | UCP Steel                             | UCP Steel                                   | ED Black Steel                                | ED Black Steel                                 | ED Black Steel                                 | UCP Steel                                   | ED Black Steel                                | ED Black Steel                                 | ED Black Steel                                 | ED Black Steel                                    | ED Black Steel  |
| FRONT BRAKE           | N/A                                   | Rush SB900 Alloy Caliper                    | Tektro FX340 Alloy U-brake                    | Tektro FX340 Alloy U-brake                     | Tektro FX340 Alloy U-brake                     | N/A   | N/A   | N/A  | N/A  | N/A   | N/A   |
| REAR BRAKE            | Rush Alloy V-Brake                    | Rush SB933 Alloy U-brake                    | Tektro FX340 Alloy U-brake                    | Tektro FX340 Alloy U-brake                     | Tektro FX340 Alloy U-brake                     | Rush RX933 Alloy U-brake                    | Tektro FX340 Alloy U-brake                    | Tektro FX340 Alloy U-brake                     | Tektro FX340 Alloy U-brake                     | Tektro FX340 Alloy U-brake                        | Tektro FX720 Alloy U-brake  |
| BRAKE LEVERS          | Rush full Alloy (rear only)           | Rush RX257                                  | Rush RX402 hinged                             | Rush RX402 hinged                              | Rush RX402 hinged                              | Rush RX257                                  | Rush RX402 hinged                             | Rush RX402 hinged                              | Rush RX402 hinged                              | Rush RX402 hinged                                 | Odyssey Monolever (Med) hinged (rear only)  |
| BRAKE ROTOR           | N/A                                   | Pro Rush with Pipeline cable                | Pro Rush with Pipeline cable                  | Pro Rush with Pipeline cable                   | Pro Rush with Pipeline cable                   | N/A   | N/A   | N/A  | N/A  | N/A   | N/A   |
| HANDLEBAR             | Mongoose Mini hi-ten 2pc              | Mongoose Hi-ten 7.5"                        | Mongoose Hi-ten 7.5"                          | Mongoose Hi-ten 7.5"                           | Mongoose Hi-ten 8"                             | Mongoose Hi-ten 7.5"                        | Mongoose Hi-ten 7.5"                          | Mongoose Hi-ten 8"                             | Mongoose Hi-ten 8"                             | Mongoose 10&2 bars; Cromo 8"                      | Mongoose 10&2 bars; Cromo 8"  |
| STEM                  | Mongoose Alloy Quilled                | Mongoose Front Load 50mm Ext.               | Mongoose Front Load 50mm Ext.                 | Mongoose Front Load 50mm Ext.                  | Mongoose Front Load 50mm Ext.                  | Mongoose Front Load 50mm Ext.               | Mongoose Front Load 50mm Ext.                 | Mongoose Front Load 50mm Ext.                  | Mongoose Front Load 50mm Ext.                  | Mongoose Front Load 50mm Ext.                     | Mongoose Capless Ahead 50 mm  |
| GRIPS                 | Mongoose Pro Kraton                   | Mongoose Kraton                             | Mongoose Kraton                               | Odyssey Team                                   | Mongoose Kraton                                | Mongoose Kraton                             | Mongoose Kraton                               | Odyssey Team                                   | Odyssey Griswald                               | SNAFU Simple                                      | Odyssey Team  |
| HEADSET               | 1" Threaded                           | 1-1/8" Ahead                                | 1-1/8" Ahead                                  | 1-1/8" Ahead                                   | 1-1/8" Integrated (Campy fit)                  | 1-1/8" Ahead                                | 1-1/8" Ahead                                  | 1-1/8" Ahead                                   | 1-1/8" Integrated (Campy fit)                  | 1-1/8" Integrated (Campy fit)                     | 1-1/8" FSA Integrated (Campy fit)   |
| SADDLE                | Mongoose Junior, with printed design  | Mongoose Slim                               | Mongoose Slim                                 | Mongoose Slim                                  | Mongoose Slim                                  | Mongoose Shorty                             | Mongoose Slim                                 | Mongoose Slim                                  | Mongoose Slim                                  | Mongoose Pivotal                                  | Mongoose Pivotal  |
| SEAT POST             | 25.4 straight steel                   | 25.4 straight steel                         | 25.4 straight steel                           | 25.4 straight steel                            | 25.4 straight Alloy, with Micro Adjust         | 25.4 straight steel                         | 25.4 straight steel                           | 25.4 straight steel                            | 25.4 straight Alloy, with Micro Adjust         | 25.4 Pivotal                                      | 25.4 Pivotal  |
| SEAT CLAMP            | Alloy single bolt                     | Alloy single bolt slim                      | Alloy single bolt slim                        | integrated in frame                            | integrated in frame                            | Alloy single bolt slim                      | Alloy single bolt slim                        | integrated in frame                            | integrated in frame                            | integrated in frame                               | integrated in frame   |
| EXTRAS                | Crossbar Pad                          | 1 pair axle pegs                            | 1 pair axle pegs                              | 1 pair axle pegs                               | 1 pair axle pegs                               | 1 pair axle pegs                            |   |  |  |   |   |

# mongoose®

[www.mongoose.com](http://www.mongoose.com)



PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

**FRENCHYS**  
DISTRIBUTION

[www.frenchys-distribution.com](http://www.frenchys-distribution.com) / phone : +33 (4) 78 44 55 76